CONTENTS

Vol. 136, No. 1, January 1982

Diagnosis of carcinoma of the pancreas by assay of immunosuppressive acidic protein. *S. Matsuno, M. Kobari, Y. Matsuda and T. Sato* 1

Zinc and magnesium output in pancreatic juice after pancreaticoduodenectomy. *S. Matsuno, E. Miyashita, T. Ejiri and T. Sato* 11

Cytosine arabinoside bladder instillation therapy for bladder tumors. *H. Araki, T. Mishina, K. Miyakoda, T. Fujiwara and T. Kobayashi* 23

Effect of tocopherol deficiency on lipid metabolism in arterial wall of spontaneously hypertensive rats on normal and high cholesterol diets. *S. Murano, K. Shirai, N. Matsuoka, N. Morisaki, N. Sasaki, M. Shinomiya, M. Mizobuchi, Y. Saito and A. Kumagai* 29

Effects of ortho-iodo-sodium benzoate (OISB) on oxygen-hemoglobin affinity and its relation to plasma concentrations in dogs. *T. Kugimiya, M. Fujisawa, K. Suwa, H. Yamamura, K. Minohara and T. Kasama* 35

α-D-Mannosidase in the liver and brain from patients with I-cell disease. *R. Minami and T. Nakao* 43

An esterase isozyme in non-hemoglobin proteins of cell lysate reacting with mushroom lectin. *M. Iwasa, K. Kanemitsu and K. Sagisaka* 53

Characteristics of urinary glycosaminoglycans excreted by a patient with the Hurler-Scheie compound syndrome. *A. Kimura, S. Hayashi, M. Koseki and K. Tsurumi* 61

Evidence for host-mediated antitumor activity in the treatment of experimental tumor with a hot water extract from BCG. *H. Sato, H. Arai, H. Nagai, M. Ito, K. Satoh, N. Kumano, M. Motomiya and K. Konno* 67

Frequency-force relationship in dog atrial muscle as modified by acetylcholine. *H. Watanabe, K. Kawai and S. Chiba* 75

Temperature sensitivity of the preoptic and anterior hypothalamic neurons in organ culture. *Y. Hori and T. Nakayama* 79

Excitatory junction potentials recorded from the circular smooth muscles of the guinea-pig seminal vesicle. *H. Ohkawa* 89

Lymphoblasts and diagnosis of pyruvate carboxylase deficiency. *G. Takada, M. Ohtake, S. Miyabayashi and K. Tada* 103

Short Reports

Plasma radioimmunoassayable neurotensin responses to the administration of various nutrients. *S. Ito, Y. Matsubara and A. Shibata* 109

A new simple method to detect an air-leaking lung field in pneumothorax by a flexible bronchofiberscope. *A. Nagai, T. Takizawa, K. Konno and M. Kawakami* 111

Vol. 136, No. 2, February 1982

Nature of serum ascorbate radical and its quantitative estimation. *R. Sasaki, T. Kurokawa and S. Tero-Kubota* 113

Increased frequency of lymphocytotoxic antibodies in patients with multiple sclerosis correlated with disease activity. *T. Tsukamoto, T. Ebina, S. Takase, K. Itahara and N. Ishida* 121

Finger tapping test as a means to differentiate olivo-ponto-cerebellar atrophy among spinocerebellar degenerations. *K. Kosaka, H. Nagasaki and R. Nakamura* 129

Chemiluminescence of UV-irradiated linolenic acid and squalene. *W. Torinuki, N. Kumai, T. Miura and M. Seiji* 135

A comparison of left ventricular volume-pressure relations of excised perfused canine hearts in isovolumic contraction, arrest and fibrillation. *Y. Maruyama, T. Nunokawa, Y. Koiwa, S. Isoyama, K. Ikeda, E. Ino-Oka and T. Takishima* 141

Effect of vagal tone on airway smooth muscle force and peribronchial pressure in dogs. *R. Kikuchi, H. Sasaki, M. Nakamura and T. Takishima* 157

Effect of isoproterenol on regional pulmonary perfusion in the reimplanted lung of the dog. *T. Isawa, T. Teshima, T. Hirano, A. Ebina, K. Shiraishi, Y. Fukuda and K. Konno* 163

Insulin response to glucagon with or without tolbutamide in normal and diabetic subjects. *M. Chiba, A. Ohneda, T. Sakai and Y. Goto* 169

A continuous and quantitative analysis of the uneven distribution of myocardial blood flow in dogs using a distribution function of the clearance time constant. *K. Ashikawa, E. Ino-Oka, S. Kitaoka, N. Ishide, K. Tamaki, S. Isoyama, T. Yanagiya, T. Okubo and T. Takishima* 177

Cytoplasmic estrogen receptors of rat mammary glands during pregnancy and puerperium. *H. Hoshiai, K. Takahashi, N. Furuhashi, Y. Wada, S. Uehara and M. Suzuki* 195

Reconstruction of the right ventricle with diaphragm driven right ventricular wall device. *Y. Kagawa, T. Hongo, S. Nitta, N. Sato, T. Watanabe and T. Horiuchi* 203

Endoscopical polypectomy using high frequency current: double-snare method of polypectomy for prevention of incidental bleeding and perforation. *S. Asaki* 215

Delivery of fungal β-galactosidase to rat brain by means of liposomes. *G. Takada, H. Onodera and K. Tada* 219

Short Reports

Combined urodynamic and ultrasonic techniques: a new diagnostic method for the lower urinary tract. *O. Nishizawa, H. Takada, F. Sakamoto, S. Matsuo, H. Noto, N. Kizu, T. Harada and S. Tsuchida* 231

A new in vivo method of recording of the electrical activities of the renal pelvis. *S. Tsuchida, T. Morita and S. Kondo* 233

Vol. 136, No. 3, March 1982

The effect of ursodeoxycholic acid on biliary bile acid composition in patients with cholesterol gallstone. *Y. Kanazawa, M. Koizumi, H. Hirakawa, K. Endo, S. Yoshida, T. Miyakawa, Y. Konno, Y. Goto, J. Goto and T. Nambara* 235

Experimental infection of immunocompromised mice with *Achromobacter xylosoxidans*. *S. Hyodo, S. Katahira and S. Shigeta* 251

Significance of sustained gastric hypersecretion by the emulsified histamine solution. *T. Sekine and E.R. Woodward* 263

Angioimmunoblastic lymphadenopathy: light and electron microscopic studies. *H. Takahashi and H. Wakasa* 267

Follicular reconstruction and hormone production by human adenomatous goiter cells in culture. *K. Goto, N. Sasano and N. Matoba* 285

Histologic findings of ductus arteriosus and pulmonary vascular disease in interrupted aortic arch. *S. Yamaki, Y. Suzuki, Y. Kagawa, O. Kahata, H. Onodera, T. Togo, T. Hongo, Y. Sekino, E. Ishizawa and T. Horiuchi* 291

The membrane association among the rough- and smooth-surfaced endoplasmic reticulum and Golgi apparatus in rat hepatocytes at certain circadian stages. *Y. Uchiyama* 299

Immunoelectrophoretic analyses of antigenic and human specific proteins of red cell membrane. *M. Iwasa, T. Yokoi, K. Kanemitsu and K. Sagisaka* 303

Reduction of left ventricular epicardial segment length by 100% oxygen breathing in open-chest dogs. *K. Ishikawa, K. Kanamasa, T. Yamakado and R. Katori* 313

A family study of an extremely rare Rh-Hr variant (-*D*-/-*D*-) in two generations. *K. Sagisaka, T. Yokoi, M. Yamashina, H. Tanaka and H. Matsumoto* 319

Observations with endocardial electrography on ventricular tachycardia by intracoronary saline in dogs. *S. Abe* 323

Computed tomography in the diagnosis of fatty liver: total lipid content and computed tomography number. *Y. Yajima, T. Narui, M. Ishii, R. Abe, M. Ohtsuki, Y. Goto, S. Endo, K. Yamada and M. Ito* 337

Carbohydrate metabolism in thyrotoxicosis, with special reference to its relation to calorie intake. *T. Sato, S. Saito. M. Kokubun, T. Saito, M. Ito, M. Yamamoto, K. Kaise and N. Kaise* 343

Short Reports

A new synchronous video urodynamics. *O. Nishizawa, T. Harada, H. Takada, F. Sakamoto, H. Noto, N. Kizu, Y. Miyazaki and S. Tsuchida* 349

Localization of postganglionic neurons to the male genital organ in the major pelvic ganglion of the rat. *T. Shimizu, L.M. Egan-Konopka, Y. Ohta and N.J. Dun* 351

Vol. 136, No. 4, April 1982

The follow-up study of swine and Hong Kong influenza virus infection among Japanese hogs. *J. Arikawa, N. Yamane, K. Totsukawa and N. Ishida* 353

Anticoagulant activity of dermatan polysulfates. *F. Akiyama, N. Seno and K. Yoshida* 359

Interaction between thymosin testosterone and estradiol on natural killer cell activity in mice. *P. Deschaux, J.-C. Paucod and D. Ardail* 367

The density and distribution of intramembrane particles in erythrocytes from persons with muscular dystrophies. *J. Bodurtha, T. Hiraoka, K. Koike, M. Koike, K. Mori, R. Hazama, T. Hoshino and M. Nagasawa* 373

Isolation and characterization of mucoid and non-mucoid *Salmonella oranienburg* isolated from pleural effusion of a patient with hemolytic anemia. *Y. Saitoh, T. Sasaki, M. Hiratsuka, N. Sato and N. Yamane* 379

Survival of and hepatoma development in patients with liver cirrhosis. *S. Nakamura, Y. Takezawa, K. Kera, T. Sato, M. Nakamura and T. Maeda* 387

Thy-1 antigen on rat bone marrow cells: immunochemical and fine morphological studies. *T. Ueda, Y. Ishii, A. Matsuura and K. Kikuchi* 391

Carbonic anhydrase isozymes of red blood cells in surgically treated hyperthyroidism. *S. Nishinari* 405

Congenital secondary hypothyroidism with low serum GH and prolactin levels in a 27-day-old male infant. *H. Tomita, H. Sogawa and A. Watanabe* 413

Disappearance curves and single-breath D_{LCO} from consecutive samples during slow expiration. *R. Kikuchi, T. Sasaki and T. Takishima* 419

Progression to malignancy of severe dysplasia of the uterine cervix. *A. Yajima, A. Sato, T. Mori, T. Wakisaka, S. Sato, M. Suzuki, K. Teshima and K. Noda* 433

Studies on recovery of liver function of operated biliary atresia. *T. Chiba and M. Kasai* 439

Plasma insulin response to various secretagogues in insulinoma. *A. Ohneda, T. Kobayashi and J. Nihei* 447

Short Reports

Effect of beta-carotene on ultraweak chemiluminescence of UVB-irradiated squalene. *W. Torinuki, N. Kumai, T. Miura and M. Seiji* 459

The effect of protamine on proteinuria and glomerular sclerosis in aminonucleoside nephropathy. *T. Saito, K. Yamakage, K. Kurosawa, Y. Kyogoku, T. Furuyama and K. Yoshinaga* 461

Enhancing effect of saccharated ferric oxide on human lymphocyte transformation in serum-free medium. *Y. Tanno and T. Takishima* 463